



M-SERIES














Faceplate Range




M-SERIES

>> 10AMP PLATE SWITCHES

| Picture | No. | Description |
|-------------------------------------------------------------------------------------|------------|---------------------------|
|  | QL-M301 AB | 1 gang 1 way plate switch |
|  | QL-M302 AB | 1 gang 2 way plate switch |
|  | QL-M303 AB | 2 gang 1 way plate switch |
|  | QL-M304 AB | 2 gang 2 way plate switch |
|  | QL-M305 AB | 3 gang 1 way plate switch |
|  | QL-M306 AB | 3 gang 2 way plate switch |
|  | QL-M307 AB | 4 gang 1 way plate switch |
|  | QL-M308 AB | 4 gang 2 way plate switch |
|  | QL-M309 AB | 6 gang 1 way plate switch |
|  | QL-M310 AB | 6 gang 2 way plate switch |




QL-M303 AB



QL-M307 AB

- Conform to BS EN 60 669-1
- Material: Stainless Steel
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)





>> BELL SWITCH

| Picture | No. | Description |
|-------------------------------------------------------------------------------------|------------|-----------------------|
|  | QL-M317 AB | 10A bell switch(bell) |



QL-M317 AB

>> 20 AMP & 45 AMP SWITCHES

| Picture | No. | Description |
|-------------------------------------------------------------------------------------|------------|--------------------------------------------------|
|  | QL-M324 AB | 20A 1 gang double pole switch+neon |
|  | QL-M327 AB | 45A 1 gang double pole switch+neon, single plate |
|  | QL-M329 AB | 45A 1 gang double pole switch+neon, double plate |
|  | QL-M329 AB | 45A switch+neon+13A switched socket+neon |



QL-M327 AB

- Conform to BS EN 60 669-1
- Material: Stainless Steel
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

M-SERIES

>> DIMMER SWITCHES

| Picture | No. | Description |
|---------|------------|-----------------------------------------|
| | QL-M350 AB | 250W 1 gang dimmer switch, single pole |
| | QL-M351 AB | 250W 1 gang speed switch |
| | QL-M353 AB | 250W 2 gang dimmer switch, single pole |
| | QL-M355 AB | 500W 1 gang dimmer switch, single pole |
| | QL-M356 AB | 500W 2 gang dimmer switch, single pole |
| | QL-M555 AB | 1000W 1 gang dimmer switch, single pole |
| | QL-M556 AB | 1000W 2 gang dimmer switch, single pole |



QL-M355 AB

- Conform to BS EN 60 669-2-1, BS55014-1, BS 55014-2
- Clear terminal markings
- Material: Stainless Steel
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> 13 AMP SOCKET OUTLETS

| Picture | No. | Description |
|---------|------------|-----------------------------------------|
| | QL-M405 AB | 13A 1 gang switched socket, single pole |
| | QL-M406 AB | 13A 2 gang switched socket, single pole |
| | QL-M409 AB | 13A 1 gang switched socket, double pole |
| | QL-M410 AB | 13A 2 gang switched socket, double pole |



QL-M405 AB

- Conform to BS 1363: Part 2
- Material: Stainless Steel
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> 13 AMP FUSED CONNECTION UNITS

| Picture | No. | Description |
|---------|------------|--------------------------------|
| | QL-M413 AB | 13A fused connection unit+neon |
| | QL-M419 AB | 13A switched FCU'S+neon |



QL-M419 AB

- Conform to BS 1363: Part 4

>> 15 AMP SOCKET OUTLETS

| Picture | No. | Description |
|---------|------------|-------------------------------------------|
| | QL-M429 AB | 15A 1 gang switched round-pin socket |
| | QL-M431 AB | 15A 1 gang switched round-pin socket+neon |







QL-M429 AB

- Conform to BS 546

M-SERIES






>> CO-AXIAL & SATELLITE OUTLETS


| Picture | No. | Description |
|-----------------------------------------------------------------------------------|------------|----------------------------------------|
|  | QL-M434 AB | isolated coaxial socket, single outlet |
|  | QL-M436 AB | isolated coaxial socket, twin outlet |
|  | QL-M166 AB | 1G satellite socket |
|  | QL-M167 AB | 1G satellite socket+TV socket |



QL-M434 AB

>> TELEPHONE & DATA OUTLETS





| Picture | No. | Description |
|-------------------------------------------------------------------------------------|------------|--------------------------------------|
|  | QL-M438 AB | 1 gang telephone socket, secondary |
|  | QL-M439 AB | 1 gang telephone socket, master |
|  | QL-M440 AB | 2 gang telephone socket, secondary |
|  | QL-M442 AB | 1 gang RJ45 data socket (8 terminal) |
|  | QL-M443 AB | 2 gang RJ45 data socket (8 terminal) |




QL-M438 AB

- Conform to BS 5733
- Material: Stainless Steel
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> CONNECTION PLATE & BLANK PLATE

| Picture | No. | Description |
|-------------------------------------------------------------------------------------|------------|----------------------|
|  | QL-M820 AB | 20A connection plate |
|  | QL-M821 AB | 45A connection plate |
|  | QL-M401 AB | 1 gang blank plate |
|  | QL-M402 AB | 2 gang blank plate |



QL-M401 AB